

Table of Contents

| | |
|-------------------------|----|
| 1. Introduction | 1 |
| 2. Transit Analysis | 3 |
| 3. Updated HOV Analysis | 8 |
| HOV Options A and B | 8 |
| Travel Characteristics | 8 |
| Other Impacts | 11 |
| HOV Option C | 20 |
| 4. Conclusion | 25 |

List of Figures

| | | |
|------------|---|----|
| Figure 1-1 | 2025 Trips on Baseline Network | 2 |
| Figure 2-1 | Proposed High Quality Transit Alternative Attractions & Transit Connections/Stations | 4 |
| Figure 2-2 | Original SEMCOG Feeder Bus Network Plus Rapid Transit | 7 |
| Figure 2-3 | Improved Feeder Bus Network Plus Rapid Transit | 7 |
| Figure 2-4 | Difference, Original-Improved Transit Network | 7 |
| Figure 3-1 | HOV Access Example | 11 |
| Figure 3-2 | Special HOV Access Ramps North of 8 Mile | 13 |
| Figure 3-3 | Special HOV Access Ramps at 9 Mile | 14 |
| Figure 3-4 | Special HOV Access Ramps at I-696 | 15 |
| Figure 3-5 | Single Point Urban Interchange at 12 Mile | 16 |
| Figure 3-6 | Special HOV Access Ramps at 12 Mile SPUI | 17 |
| Figure 3-7 | Special HOV Access Ramps North of Big Beaver | 18 |
| Figure 3-8 | Basic HOV Example Facilities | 21 |

List of Tables

| | | |
|------------|--|----|
| Table 2-1 | Rapid Transit and HOV Concepts I-75 PM Peak Hour Characteristics (2025) | 3 |
| Table 2-2 | Rapid Transit Station Activity | 6 |
| Table 3-1A | 2025 PM Peak Hour Throughput NB (Vehicles and Persons) HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Option A: Full-Access HOV/M-102 to M-15 | 9 |
| Table 3-1B | 2025 PM Peak Hour Throughput NB (Vehicles and Persons) HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Option B: Full-Access HOV/I-696 to M-59 | 9 |
| Table 3-2A | 2025 PM Peak Hour Total Freeway Person Throughput NB HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Option A: Full-Access HOV/M-102 to M-15 | 10 |

List of Tables (continued)

| | | |
|------------|---|----|
| Table 3-2B | 2025 PM Peak Hour Total Freeway Person Throughput NB HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Option B: Full-Access HOV/I-696 to M-59 | 10 |
| Table 3-3 | Possible Impacts of Options A and B: Full-Access I-75 HOV | 20 |
| Table 3-4A | 2025 PM Peak Hour Throughput NB (Vehicles and Persons) HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Basic HOV: M-102 to M-15 (with <u>NO</u> violators) | 22 |
| Table 3-4B | 2025 PM Peak Hour Total Freeway Person Throughput NB HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Basic HOV: M-102 to M-15 (with <u>NO</u> violators) | 22 |
| Table 3-5A | 2025 PM Peak Hour Person Throughput NB (Vehicles and Persons) HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Basic HOV: M-102 to M-15 (with violators) | 23 |
| Table 3-5B | 2025 PM Peak Hour Total Freeway Person Throughput NB HOV Lane (2-plus) vs. General Purpose Lane at Key Segments Along I-75 Basic HOV: M-102 to M-15 (with violators) | 23 |